

### 1.0 Product and Company Identification

Identification of the preparation HP LaserJet Print Cartridge

92298A/X

Company Identification Hewlett-Packard Company

11311 Chinden Boulevard

Boise, Idaho 83714

**United States** 

**Emergency Telephone Number Hewlett-**

**Packard Health Effects Line** 

1-800-457-4209 (USA and Canada)

503-494-7199 (USA direct)

Singapore: +001-800-332-13321

**General Information Telephone Number** 

Local Contact Information

208-323-2551 (USA direct)

Ireland

Liffey Park Technology Park Barnhall Road Leixlip, Co.

Kildare, Ireland

Phone: 01 6150000

**United Kingdom** 

Hewlett-Packard, Ltd. Cain Road, Amen Corner

Bracknell, Berkshire, RG12 1HN

Phone: 1344 36-0000

Hazard Rating	US NFPA/HMIS
Health	1
Flammability	1
Instability/Reactivity	0
Special	N/A

### 2.0 Composition/Information on Ingredients

This product is a toner preparation that is used in Hewlett-Packard LaserJet 4, 4 Plus, 4M, 4M Plus, or 5 series printers.

Component/Substance	CAS Number	EU Number	% by Weight	Risk Phrases
Styrene Acrylate	-	-	45 - 55	-
Copolymer				
Iron Oxide	1317-61-9	215-277-5	45 - 55	-

#### 3.0 Hazard Identification

This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive 1999/45/EC, and as amended.



**3.1 Routes of Exposure** Inhalation, ingestion, skin and eyes.

3.2 Acute Health Hazards

**Inhalation:** Minimal respiratory tract irritation may occur with exposure to

large amount of toner dust

**Ingestion:** Ingestion is not applicable route of entry for intended use.

**Skin:** Unlikely to cause skin irritation

**Eves:** May cause transient slight irritation.

3.3 Chronic Health

**Hazards** 

Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended does

not result in inhalation of excessive amounts of dust.

**3.4 Carcinogenicity** Refer to section 11.

### 4.0 First Aid Measures

**Inhalation:** Move person to fresh air immediately. If symptoms

occur, consult a physician.

**Ingestion:** Rinse mouth with water. Drink one to two glasses of

water. If symptoms occur, consult a physician.

**Skin:** Wash affected areas thoroughly with soap and

water. If symptoms occur, consult a physician.

Eyes: Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 15

minutes. If symptoms occur, consult a physician.

#### 5.0 Fire Fighting Measures

**Extinguishing media** CO<sub>2</sub>, water, dry chemical

**Unsuitable Extinguishing** 

Media

None known

**Special Firefighting** 

Procedures

None

Unusual fire and explosion

hazards

Toner material, like most organic material in powder

form, is capable of creating a dust explosion

**Auto-ignition temperature** 

Flashpoint (method)

**Hazardous Combustion** 

**Products** 

Not applicable

No data available

CO<sub>2</sub>, CO



#### 6.0 Accidental release measures

**6.1 Spill or leak procedures** Avoid breathing dust. Minimize the release of

particles. Slowly sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of waste toner in accordance with local

requirements.

6.2 Environmental precautions

Do not discharge into drains (See also section 13

Disposal Considerations).

### 7.0 Handling and Storage

Advice on safe handling and

protection against fire

Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Keep away

from excessive heat, sparks, and open flames.

Requirements for storage rooms and advice on storage compatibility

Keep container closed and store at room temperature. Keep away from strong oxidizers.

### 8.0 Exposure control/ personal protection

8.1 Exposure Limit Values

**USA OSHA (TWA)/PEL):** 15 mg/m<sup>3</sup> (Total Dust)

5 mg/m<sup>3</sup> (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m³ (Inhalable Particulate)

3 mg/m³ (Respirable Particulate)

TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare Partikel)

3 mg/m3 (Alveolengängige Fraktion)

**8.2 Exposure Controls** 

Respiratory protection Not required under intended use

**Ventilation** Good general ventilation should be sufficient under

intended use

Protective gloves Not required under intended use

**Eye protection** Not required under intended use **Other protective equipment** Not required under intended use

### 9.0 Physical and chemical properties

pH Not applicable

**Boiling point** Not applicable Flash point Not applicable

**Melting point** 100 - 150°C (Softening Point)



Flammability Non-flammable solid (according to test methods of

USA 16 CFR 1500.44 and 84/449/EEC (Annex V)

A.10)

**Explosive properties** Toner material, like most organic material in powder

form, is capable of creating a dust explosion

Oxidizing properties No data available

Vapor Pressure Not applicable

Specific gravity (H<sub>2</sub>O=1) 1.4 - 1.6 Solubility in water Negligible

**Solubility in organic** Partially soluble in toluene and xylene

solvents

Partition coefficient Not applicable

Viscosity Not applicable
Vapor density Not applicable
Evaporation rate Not applicable

Physical state Fine powder

Color Black

Odor Slight plastic odor Other None known

### 10.0 Stability and reactivity

**Stability** Stable under normal storage conditions

**Incompatibilities** Strong oxidizers

Hazardous decomposition CO<sub>2</sub>, CO

products

Hazardous polymerization Will not occur

# 11.0 Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures

Acute Toxicity:

Skin Contact: Not classified as irritant, according to OSHA

HazardCommunication Standard (HCS) and EU Directive

67/548/EEC.

Chronic Toxicity: No data available

**Other Toxicity Data:** 

Mutagenicity: Negative, does not indicate mutagenic potential, (Ames

Test: Salmonella typhimurium).

Carcinogenicity: Not a known or suspected carcinogen according to any

IARC Monograph, NTP, OSHA Regulations (USA), EU

Directive, or Proposition 65 (California).

# 12.0 Ecological Information

No data available for ecological and wastewater treatment (sewage) systems.



# 13.0 Disposal considerations

Do not put toner or print cartridge into fire; heated toner may cause severe burns. Do not shred print cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

### 14.0 Transportation information

Not a regulated article under DOT, IATA, ADR, or RID

**UN Number** None

Class None

Proper Shipping Name None

Packing Group None

Special Precautions None

## 15.0 Regulatory information

**US EPA TSCA Inventory** All chemical substances in this product comply with

all rules or orders under TSCA.

US EPA TSCA 12(b) Contains p-Xylene - [CAS No. 106-42-3]

**US California Proposition 65** None

**EU Notification** All components in this product are compliant with

EU Chemical Inventory regulations.

**EU R&S Phrase Information** No European Risk Phrases (labeling data)

Dangerous Components None

(CAS No.) wt%

**USA Labeling** 

Signal Word Not required Hazard Warning Not required

Safety Advice Not required

Hazardous Component(s) None

#### 16.0 Other information

Date Prepared: July 1, 2004

**HP-DMS Document Control** 

Number:

**Revision Information:** This document replaces all prior versions of the MSDS

Other Information This MSDS was prepared in compliance with EU Directive 91/155/FEC as amended by 2001/58/FC and LISA OSHA

91/155/EEC as amended by 2001/58/EC and USA OSHA Hazard Communications regulations (29CFR1910:1200).

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be



# Material Safety Data Sheet construed as guaranteeing specific properties of the product as described or its

suitability for a particular application.