

MATERIAL SAFETY DATA SHEET

according to EC Directive 2001/58/EC

SS-1104; SS-1204; SS-1504

Revision Number 1, Revision Date December 05, 2006

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product code SS-1104

Product name 1000 ug/mL Iron
Common Name Iron in Dilute Nitric Acid

Manufacturer, importer, supplier Teknolab

P.O. Box 33 1411 Kolbotn Norway

Tel: + 47 66 81 34 70 Fax: + 47 66 81 34 71 Web: www.spectrascan.no

Emergency telephone number 800-424-9300 CHEMTREC (24 hrs)

2. COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% Weight	ACGIH*	OSHA*
7732-18-5	Water	~94-98	N/A	N/A
7697-37-2	Nitric Acid	~1-5	2 ppm TWA	2 ppm TWA; 5 mg/m3 TWA
7439-89-6	Iron	~0.1-1	N/A	N/A

^{*} ACGIH - Occupational Exposure Limits - TWAs

3. HAZARDS IDENTIFICATION

Emergency Overview

- Vapours may be irritating to eyes, nose, throat, and lungs
- Corrosive

Eye contact	Contact with eyes may cause irritation	
Skin contact	Substance may cause slight skin irritation	
Inhalation	May cause irritation of respiratory tract	
Ingestion	Harmful if swallowed	

4. FIRST AID MEASURES

General advice	 Show this safety data sheet to the doctor in attendance 		
Skin contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes		
	Consult a physician if necessary		
Eye contact	 Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes 		
	Keep eye wide open while rinsing		
	 If eye irritation persists, consult a specialist 		
Inhalation	Move to fresh air in case of accidental inhalation of vapours		
	If breathing is difficult, give oxygen		
	Consult a physician if necessary		
Ingestion	Call a physician or Poison Control Centre immediately		
-	If swallowed, seek medical advice immediately and show this container or label		
	If conscious, drink plenty of water		

5. FIRE-FIGHTING MEASURES

^{*} OSHA - Final PELs - Time Weighted Averages (TWAs)

Flash point	NA
Suitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
Specific hazards	Thermal decomposition can lead to release of irritating gases and vapours
Specific methods	 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations
Special protective equipment for firefighters	 As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Under conditions giving incomplete combustion, hazardous gases produced may consist of:	nitrogen oxides (NOx).

6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	 Evacuate personnel to safe areas Keep people away from and upwind of spill/leak Wear personal protective equipment Ensure adequate ventilation 	
Environmental precautions	Prevent further leakage or spillage if safe to do so Prevent product from entering drains	
Methods for cleaning up	 Dam up Neutralize with lime milk or soda and flush with plenty of water Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container After cleaning, flush away traces with water 	

7. HANDLING AND STORAGE

Handling

Technical measures/Precautions	Use only in area provided with appropriate exhaust ventilation
Safe handling advice	Wear personal protective equipment

Storage

Technical	Keep in properly labelled containers		
measures/Precautions	Store at room temperature in the original container		
	 Keep containers tightly closed in a dry, cool and well-ventilated place 		
Incompatible products	organic materials		
	reducing agents		

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment		
Hand protection	impervious gloves	
Eye protection	tightly fitting safety goggles	
Respiratory protection • Ensure adequate ventilation		
Skin and body protection	Chemical resistant apron	
	Lab coat	
Hygiene measures • When using, do not eat, drink or smoke		
	Regular cleaning of equipment, work area and clothing	

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Form liquid.

Appearance clear
Colour None.
Odour None.

Important Health Safety and Environmental Information

pH 0 to 2

Boiling point/range 100°C

Flash point N/A

Vapour pressure NA.

Water solubility miscible.

10. STABILITY AND REACTIVITY				
Stability	Stability • Stable under normal conditions			
	Hazardous polymerisation does not occur			
Materials to avoid	organic materials			
	reducing agents			
Hazardous decomposition products	nitrogen oxides (NOx)			

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Component Information

CAS	Chemical Name	% Weight	LD50/oral/rat =	LD50/dermal/rat =
7732-18-5	Water	~94-98	N/A	N/A
7697-37-2	Nitric Acid	~1-5	Inhalation LC50 Rat: 130 mg/kg/4H	Inhalation LC50 Rat: 130 mg/kg/4H
7439-89-6	Iron	~0.1-1	Oral LD50 Rat: 30 g/kg	Oral LD50 Rat: 30 g/kg

Product Information

Local effects			
Skin irritation	May cause skin irritation and/or dermatitis.		
Eye irritation	May cause eye irritation with susceptible persons.		
Inhalation	May cause irritation of respiratory tract.		
Ingestion	If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.		
Chronic toxicity	Avoid repeated exposure.		

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Component Information

Product Information

Do not allow material to contaminate ground water or sewage system

Other information

13. DISPOSAL CONSIDERATIONS			
Waste from residues / unused • In accordance with local and national regulations products			
Contaminated packaging	Empty containers should be taken for local recycling, recovery or waste disposal		

14. TRANSPORT INFORMATION

DOT

UN-No UN3264 / Class 8

Proper shipping nameCorrosive liquid, acidic, inorganic, n.o.s

Packing group III

IATA-DGR

UN-No UN3264 / Class 8

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s

Packing group

15. REGULATORY INFORMATION

U.S. INVENTORIES:

CAS	Chemical Name	% Weight	CPCL*	NJRTK*	CERCLA/SARA*
7732-18-5	Water	~94-98	N/A	N/A	N/A
7697-37-2	Nitric Acid	~1-5	N/A	sn 1356	1000 lb final RQ; 454 kg final RQ
7439-89-6	Iron	~0.1-1	N/A	N/A	N/A

^{*} CPCL - California - Proposition 65 - Carcinogens List

INTERNATIONAL INVENTORIES:

CAS	Chemical Name	% Weight	WHMIS*	EINECCS - European Union*
7732-18-5	Water	~94-98	Uncontrolled product according to WHMIS classification criteria	231-791-2
7697-37-2	Nitric Acid	~1-5	C, E (including 60%, 61.3%, 63%, 67%, 67.18%, 70%, 90%); E (10%)	231-714-2
7439-89-6	Iron	~0.1-1	Uncontrolled product according to WHMIS classification criteria	231-096-4

^{*} WHMIS - Canada - WHMIS - Classifications of Substances

16. OTHER INFORMATION

The above information is believed to be accurate and represents the best information available to us. It has been compiled from the data presented in various technical publications and our experience and should only be used as a guide for handling this product. It is the user's responsibility to determine the suitability of this information for their particular purposes. We assume that only qualified individuals, trained and familiar with procedures suitable to this product will handle this material. Teknolab assumes no responsibility and shall not be held liable for any damage resulting from misuse of this product.

^{*} NJRTK - New Jersey - Department of Health RTK List

^{*} CERCLA/SARA - Hazardous Substances and their Reportable Quantities

^{*} EINECCS - European Union - European inventory of Existing Commercial Chemical Substances (EINECCS)