

MATERIAL SAFETY DATA SHEET

according to EC Directive 2001/58/EC

SS-1110; SS-1210; SS-1510

Revision Number 1, Revision Date April 23, 2007

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product code SS-110

Product name1000 μg/mL SilverCommon NameSilver in Dilute Nitric Acid

Manufacturer, importer, supplier Teknolab

P.O. Box 33 1411 Kolbotn Norway

Tel: + 47 66 81 34 70 Fax: + 47 66 81 34 71 Web: www.spectrascan.no

Emergency telephone number 800-424-9300 CHEMTREC (24 hrs)

2. COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% Weight	ACGIH*	OSHA*
7732-18-5	Water	~92-97	N/A	N/A
7697-37-2	Nitric Acid	~3-7	2 ppm TWA	2 ppm TWA; 5 mg/m3 TWA
7440-22-4	Silver	~0.1-1	0.1 mg/m3 TWA	0.01 mg/m3 TWA

^{*} ACGIH - Occupational Exposure Limits - TWAs

3. HAZARDS IDENTIFICATION

I —		_	_
E 1000		O	
	ergency	Overv	/iew

- Vapours may be irritating to eyes, nose, throat, and lungs
- Corrosive

Eye contact	Contact with eyes may cause irritation	
Skin contact	Substance may cause slight skin irritation	
Inhalation	May cause irritation of respiratory tract	
Ingestion	Harmful if swallowed	

4. FIRST AID MEASURES

General advice	Show this safety data sheet to the doctor in attendance	
Skin contact	 Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes 	
	Consult a physician if necessary	
Eye contact	 Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes 	
	Keep eye wide open while rinsing	
	 If eye irritation persists, consult a specialist 	
Inhalation	Move to fresh air in case of accidental inhalation of vapours	
	If breathing is difficult, give oxygen	
	Consult a physician if necessary	
Ingestion	Call a physician or Poison Control Centre immediately	
	 If swallowed, seek medical advice immediately and show this container or label 	
	If conscious, drink plenty of water	

5. FIRE-FIGHTING MEASURES

^{*} OSHA - Final PELs - Time Weighted Averages (TWAs)

Flash point	NA
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
Specific hazards	Thermal decomposition can lead to release of irritating gases and vapours
Specific methods	 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations
Special protective equipment for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Under conditions giving incomplete combustion, hazardous gases produced may consist of:	nitrogen oxides (NOx).

6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	 Evacuate personnel to safe areas Keep people away from and upwind of spill/leak Wear personal protective equipment Ensure adequate ventilation 	
Environmental precautions	Prevent further leakage or spillage if safe to do so Prevent product from entering drains	
Methods for cleaning up Dam up Neutralize with lime milk or soda and flush with plenty of water Absorb spill with inert material (e.g. dry sand or earth), then plachemical waste container After cleaning, flush away traces with water		

7. HANDLING AND STORAGE

Handling

Technical measures/Precautions	Use only in area provided with appropriate exhaust ventilation
Safe handling advice	Wear personal protective equipment

Storage

Technical	Keep in properly labelled containers	
measures/Precautions	Store at room temperature in the original container	
	 Keep containers tightly closed in a dry, cool and well-ventilated place 	
Incompatible products	organic materials	
	reducing agents	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment	
Hand protection	impervious gloves
Eye protection	tightly fitting safety goggles
Respiratory protection	Ensure adequate ventilation
Skin and body protection	Chemical resistant apron
	Lab coat
Hygiene measures	When using, do not eat, drink or smoke
	Regular cleaning of equipment, work area and clothing

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Form liquid.

AppearanceclearColourNone.OdourNone.

Important Health Safety and Environmental Information

pH 0 to 2

Boiling point/range 100°C

Flash point N/A

Vapour pressure NA.

Water solubility miscible.

10. STABILITY AND REACTIVITY		
Stability • Stable under normal conditions		
	Hazardous polymerisation does not occur	
Materials to avoid	organic materials	
	reducing agents	
Hazardous decomposition products	nitrogen oxides (NOx)	

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Component Information

CAS	Chemical Name	% Weight	LD50/oral/rat =	LD50/dermal/rat =
7732-18-5	Water	~92-97	N/A	N/A
7697-37-2	Nitric Acid	~3-7	Inhalation LC50 Rat: 130 mg/kg/4H	Inhalation LC50 Rat: 130 mg/kg/4H
7440-22-4	Silver	~0.1-1	N/A	N/A

Product Information

Local effects	
Skin irritation	May cause skin irritation and/or dermatitis.
Eye irritation	May cause eye irritation with susceptible persons.
Inhalation	May cause irritation of respiratory tract.
Ingestion	If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.
Chronic toxicity	Avoid repeated exposure. Silver in the form of a finely divided dust may cause discoloration in contact with skin, and argyrosis in case of inhalation.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Component Information

CAS	Chemical Name	% Weight	EFAD*	EFFSD*	EMD - Ecotoxicity*
7732-18-5	Water	~92-97	N/A	N/A	N/A
7697-37-2	Nitric Acid	~3-7	N/A	N/A	N/A
7440-22-4	Silver	~0.1-1	N/A	96 Hr LC50 fathead minnow: 0.0053 mg/L;96 Hr LC50 fathead minnow: 0.11 mg/L;96 Hr LC50 rainbow trout: 0.0076 mg/L	N/A

- * EFAD Ecotoxicity Freshwater Algae Data
- * EFFSD Ecotoxicity Freshwater Fish Species Data
- * EMD Ecotoxicity Microtox Data

Product Information

Do not allow material to contaminate ground water or sewage system

Other information

13. DISPOSAL CONSIDERATIONS					
Waste from residues / unused products	In accordance with local and national regulations				
Contaminated packaging	Empty containers should be taken for local recycling, recovery or waste disposal				

14. TRANSPORT INFORMATION

DOT

UN-No UN3264 / Class 8

Proper shipping nameCorrosive liquid, acidic, inorganic, n.o.s

Packing group

IATA-DGR

UN-No UN3264 / Class 8

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s

Packing group III

15. REGULATORY INFORMATION

U.S. INVENTORIES:

CAS	Chemical Name	% Weight	CPCL*	NJRTK*	CERCLA/SARA*
7732-18-5	Water	~92-97	N/A	N/A	N/A
7697-37-2	Nitric Acid	~3-7	N/A	sn 1356	1000 lb final RQ; 454 kg final RQ
7440-22-4	Silver	~0.1-1	N/A	sn 1669	1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the solid metal released is equal to or exceeds 0.004 inches); 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the solid metal released is equal to or exceeds 0.004 inches)

^{*} CPCL - California - Proposition 65 - Carcinogens List

INTERNATIONAL INVENTORIES:

INTERNOTION CONTRACTOR						
CAS	Chemical Name	% Weight	WHMIS*	EINECCS - European Union*		
7732-18-5	Water	~92-97	Uncontrolled product according to WHMIS classification criteria	231-791-2		
7697-37-2	Nitric Acid	~3-7	C, E (including 60%, 61.3%, 63%, 67%, 67.18%, 70%, 90%); E (10%)	231-714-2		
7440-22-4	Silver	~0.1-1	Uncontrolled product according to WHMIS classification criteria	231-131-3		

^{*} WHMIS - Canada - WHMIS - Classifications of Substances

^{*} NJRTK - New Jersey - Department of Health RTK List

^{*} CERCLA/SARA - Hazardous Substances and their Reportable Quantities

* EINECCS - European Union - European inventory of Existing Commercial Chemical Substances (EINECCS)

16. OTHER INFORMATION

The above information is believed to be accurate and represents the best information available to us. It has been compiled from the data presented in various technical publications and our experience and should only be used as a guide for handling this product. It is the user's responsibility to determine the suitability of this information for their particular purposes. We assume that only qualified individuals, trained and familiar with procedures suitable to this product will handle this material. Teknolab assumes no responsibility and shall not be held liable for any damage resulting from misuse of this product.