# SPECTRASCAN®

# MATERIAL SAFETY DATA SHEET

according to EC Directive 2001/58/EC

SS-1112, SS-1212, SS-1512

Revision Number 1, Revision Date November 29, 2007

#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product code	SS-1112
Product name	1000 ug/mL Aluminum
Common Name	Aluminum in Dilute Nitric Acid
Manufacturer, importer, supplie	<u>r</u> Teknolab
	P.O. Box 33
	1411 Kolbotn
	Norway
	Tel: + 47 66 81 34 70
	Fax: +47 66 81 34 71
	Web: www.spectrascan.no
Emergency telephone number	800-424-9300 CHEMTREC (24 hrs)

2. COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% Weight	ACGIH*	OSHA*
7732-18-5	Water	~94-98	N/A	N/A
7697-37-2	Nitric Acid	~2-5	2 ppm TWA	2 ppm TWA; 5 mg/m3 TWA
7429-90-5	Aluminum	~0.1-1	10 mg/m3 TWA (metal dust)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

\* ACGIH - Occupational Exposure Limits - TWAs

\* OSHA - Final PELs - Time Weighted Averages (TWAs)

#### **3. HAZARDS IDENTIFICATION**

#### Emergency Overview

- Vapours may be irritating to eyes, nose, throat, and lungs
- Corrosive

Eye contact	Contact with eyes may cause irritation	
Skin contact	Substance may cause slight skin irritation	
Inhalation	<ul> <li>May cause irritation of respiratory tract</li> </ul>	
Ingestion	Harmful if swallowed	

#### **4. FIRST AID MEASURES** General advice Show this safety data sheet to the doctor in attendance · Wash off immediately with soap and plenty of water removing all Skin contact contaminated clothes and shoes Consult a physician if necessary • Immediately flush with plenty of water. After initial flushing, remove any Eye contact contact lenses and continue flushing for at least 15 minutes Keep eye wide open while rinsing • If eye irritation persists, consult a specialist · Move to fresh air in case of accidental inhalation of vapours Inhalation • If breathing is difficult, give oxygen • Consult a physician if necessary Call a physician or Poison Control Centre immediately Ingestion • If swallowed, seek medical advice immediately and show this container or label If conscious, drink plenty of water

## 5. FIRE-FIGHTING MEASURES

Flash point	NA
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
Specific hazards	Thermal decomposition can lead to release of irritating gases and vapours
Specific methods	<ul> <li>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations</li> </ul>
Special protective equipment for firefighters	<ul> <li>As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear</li> </ul>
Under conditions giving incomplete combustion, hazardous gases produced may consist of:	nitrogen oxides (NOx).

6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	<ul> <li>Evacuate personnel to safe areas</li> <li>Keep people away from and upwind of spill/leak</li> <li>Wear personal protective equipment</li> <li>Ensure adequate ventilation</li> </ul>
Environmental precautions	<ul> <li>Prevent further leakage or spillage if safe to do so</li> <li>Prevent product from entering drains</li> </ul>
Methods for cleaning up	<ul> <li>Dam up</li> <li>Pick up and transfer to properly labelled containers</li> <li>Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container</li> <li>After cleaning, flush away traces with water</li> </ul>

## 7. HANDLING AND STORAGE

# Handling

Technical measures/Precautions	Use only in area provided with appropriate exhaust ventilation
Safe handling advice	Wear personal protective equipment

## **Storage**

Technical measures/Precautions	<ul> <li>Keep in properly labelled containers</li> <li>Store at room temperature in the original container</li> <li>Keep containers tightly closed in a cool, well-ventilated place</li> </ul>
Incompatible products	<ul><li>organic materials</li><li>reducing agents</li></ul>

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment	
Hand protection	impervious gloves
Eye protection	<ul> <li>tightly fitting safety goggles</li> </ul>
Respiratory protection	Ensure adequate ventilation
Skin and body protection	Chemical resistant apron
	Lab coat
Hygiene measures	<ul> <li>When using, do not eat, drink or smoke</li> </ul>
	<ul> <li>Regular cleaning of equipment, work area and clothing</li> </ul>

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## **General Information**

	10. STABILITY AND REACTIVITY	
Water solubility	miscible.	
Vapour pressure	NA.	
Flash point	NA	
Boiling point/range	100°C	
рН	0 to 2	
Important Health Safety a	d Environmental Information	
Odour	None.	
Colour	None.	
Appearance	clear	
Form	liquid.	

Stability	Stable under normal conditions	
	<ul> <li>Hazardous polymerisation does not occur</li> </ul>	
Materials to avoid	organic materials	
	reducing agents	
Hazardous decomposition products	<ul> <li>nitrogen oxides (NOx)</li> </ul>	

## 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

## **Component Information**

CAS	Chemical Name	% Weight	LD50/oral/rat =	LD50/dermal/rat =
7732-18-5	Water	~94-98	N/A	N/A
7697-37-2	Nitric Acid	~2-5	Inhalation LC50 Rat: 130 mg/kg/4H	Inhalation LC50 Rat: 130 mg/kg/4H
7429-90-5	Aluminum	~0.1-1	N/A	N/A

### Product Information

Local effects	
Skin irritation	May cause skin irritation and/or dermatitis.
Eye irritation	May cause eye irritation with susceptible persons.
Inhalation	May cause irritation of respiratory tract.
Ingestion	If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.
Chronic toxicity	Avoid repeated exposure.

## **12. ECOLOGICAL INFORMATION**

## Ecotoxicity effects

## **Component Information**

CAS	Chemical Name	% Weight	EFAD*	EFFSD*	EMD - Ecotoxicity*
7732-18-5	Water	~94-98	N/A	N/A	N/A
7697-37-2	Nitric Acid	~2-5	N/A	N/A	N/A
7429-90-5	Aluminum	~0.1-1	N/A	N/A	N/A

\* EFAD - Ecotoxicity - Freshwater Algae Data

\* EFFSD - Ecotoxicity - Freshwater Fish Species Data

\* EMD - Ecotoxicity - Microtox Data

## **Product Information**

Do not allow material to contaminate ground water or sewage system

## Other information

13. DISPOSAL CONSIDERATIONS					
Waste from residues / unused products	In accordance with local and national regulations				
Contaminated packaging	Empty containers should be taken for local recycling, recovery or waste disposal				
14. TRANSPORT INFORMATION					
DOT					
UN-No	UN3264 / Class 8				
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s				
Packing group	III				
IATA-DGR					
UN-No	UN3264 / Class 8				
Proper shipping name Packing group	Corrosive liquid, acidic, inorganic, n.o.s III				

## **15. REGULATORY INFORMATION**

#### U.S. INVENTORIES:

CAS	Chemical Name	% Weight	CPCL*	NJRTK*	CERCLA/SARA*
7732-18-5	Water	~94-98	N/A	N/A	N/A
7697-37-2	Nitric Acid	~2-5	N/A	sn 1356	1000 lb final RQ; 454 kg final RQ
7429-90-5	Aluminum	~0.1-1	N/A	sn 0054 (dust and fume)	N/A

\* CPCL - California - Proposition 65 - Carcinogens List

\* NJRTK - New Jersey - Department of Health RTK List

\* CERCLA/SARA - Hazardous Substances and their Reportable Quantities

#### INTERNATIONAL INVENTORIES:

CAS	Chemical Name	% Weight	WHMIS*	EINECCS - European Union*
7732-18-5	Water	~94-98	Uncontrolled product according to WHMIS classification criteria	231-791-2
7697-37-2	Nitric Acid	~2-5	C, E (including 60%, 61.3%, 63%, 67%, 67.18%, 70%, 90%); E (10%)	231-714-2
7429-90-5	Aluminum	~0.1-1	B6 (powder); Uncontrolled product according to WHMIS classification criteria	231-072-3

\* WHMIS - Canada - WHMIS - Classifications of Substances

\* EINECCS - European Union - European inventory of Existing Commercial Chemical Substances (EINECCS)

#### **16. OTHER INFORMATION**

The above information is believed to be accurate and represents the best information available to us. It has been compiled from the data presented in various technical publications and our experience and should only be used as a guide for handling this product. It is the user's responsibility to determine the suitability of this information for their particular purposes. We assume that only qualified individuals, trained and familiar with procedures suitable to this product will handle this material. Teknolab assumes no responsibility and shall not be held liable for any damage resulting from misuse of this product.