SPECTRASCAN°

MATERIAL SAFETY DATA SHEET

according to EC Directive 2001/58/EC

SS-1113; SS-1213; SS-1513

Revision Number 1, Revision Date February 13, 2007

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product code SS-1113 AS

Product name 1000 ug/mL Arsenic
Common Name Arsenic in Dilute Nitric Acid

Manufacturer, importer, supplier Teknolab

P.O. Box 33 1411 Kolbotn Norway

Tel: + 47 66 81 34 70 Fax: +47 66 81 34 71 Web: www.spectrascan.no

Emergency telephone number 800-424-9300 CHEMTREC (24 hrs)

2. COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% Weight	ACGIH*	OSHA*
7732-18-5	Water	~94-98	N/A	N/A
7697-37-2	Nitric Acid	~2-5	2 ppm TWA	2 ppm TWA; 5 mg/m3 TWA
7440-38-2	Arsenic	~0.1-1	0.01 mg/m3 TWA	0.5 mg/m3 TWA

^{*} ACGIH - Occupational Exposure Limits - TWAs

3. HAZARDS IDENTIFICATION

Emergency Overview

- · Vapours may be irritating to eyes, nose, throat, and lungs
- Corrosive
- May cause cancer

Eye contact	Contact with eyes may cause irritation
Skin contact	Substance may cause slight skin irritation
Inhalation	May cause irritation of respiratory tract
Ingestion	Harmful if swallowed

4. FIRST AID MEASURES

General advice	 Show this safety data sheet to the doctor in attendance 			
Skin contact	Wash off immediately with soap and plenty of water removing all			
	contaminated clothes and shoes			
	Consult a physician if necessary			
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any			
	contact lenses and continue flushing for at least 15 minutes			
	Keep eye wide open while rinsing			
	 If eye irritation persists, consult a specialist 			
Inhalation	Move to fresh air in case of accidental inhalation of vapours			
	If breathing is difficult, give oxygen			
	Consult a physician if necessary			
Ingestion	Call a physician or Poison Control Centre immediately			
	 If swallowed, seek medical advice immediately and show this container or label 			
	If conscious, drink plenty of water			

5. FIRE-FIGHTING MEASURES

^{*} OSHA - Final PELs - Time Weighted Averages (TWAs)

Flash point	NA
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment
Specific hazards	Thermal decomposition can lead to release of irritating gases and vapours
Specific methods	 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations
Special protective equipment for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
NFPA (National Fire Protection Association)	 Fire Hazard - 0 Health - 2 Reactivity - 0
Under conditions giving incomplete combustion, hazardous gases produced may consist of:	nitrogen oxides (NOx).

6. ACCIDENTAL RELEASE MEASURES				
Personal precautions	 Evacuate personnel to safe areas Keep people away from and upwind of spill/leak Wear personal protective equipment Ensure adequate ventilation 			
Environmental precautions	 Prevent further leakage or spillage if safe to do so Prevent product from entering drains 			
Methods for cleaning up	 Dam up Neutralize with lime milk or soda and flush with plenty of water Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container After cleaning, flush away traces with water 			

7. HANDLING AND STORAGE

Handling

Technical measures/Precautions	Use only in area provided with appropriate exhaust ventilation
Safe handling advice	Wear personal protective equipment

Storage

Technical ● Keep in properly labelled containers				
measures/Precautions	Store at room temperature in the original container			
	 Keep containers tightly closed in a dry, cool and well-ventilated place 			
Incompatible products • organic materials				
	reducing agents			

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment				
Hand protection	impervious gloves			
Eye protection	tightly fitting safety goggles			
Respiratory protection	Ensure adequate ventilation			
Skin and body protection • Chemical resistant apron				
	Lab coat			
Hygiene measures	When using, do not eat, drink or smoke			
	Regular cleaning of equipment, work area and clothing			

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Form liquid.
Appearance clear
Colour None.
Odour None.

Important Health Safety and Environmental Information

pH 0 to 2
Boiling point/range 100°C
Flash point N/A
Vapour pressure NA.
Water solubility miscible.

10. STABILITY AND REACTIVITY						
Stability	Stable under normal conditions					
	 Hazardous polymerisation does not occur 					
Materials to avoid • organic materials						
reducing agents						
Hazardous decomposition products	nitrogen oxides (NOx)					

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Component Information

CAS	Chemical Name	% Weight	LD50/oral/rat =	LD50/dermal/rat =
7732-18-5	Water	~94-98	N/A	N/A
7697-37-2	Nitric Acid	~2-5	Inhalation LC50 Rat: 130 mg/kg/4H	Inhalation LC50 Rat: 130 mg/kg/4H
7440-38-2	Arsenic	~0.1-1	Oral LD50 Rat: 763 mg/kg	Oral LD50 Rat: 763 mg/kg

Product Information

Local effects	Poison		
Skin irritation	May cause skin irritation and/or dermatitis.		
Eye irritation	May cause eye irritation with susceptible persons.		
Inhalation	May cause irritation of respiratory tract.		
	If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Harmful if swallowed. Poison.		
Chronic toxicity Avoid repeated exposure. Neurological disorders. Skin disorders. Stomach/intestinal disorders.			
carcinogenic effects	Known carcinogen.		

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Component Information

CAS	Chemical Name	% Weight	EFAD*	EFFSD*	EMD - Ecotoxicity*
7732-18-5	Water	~94-98	N/A	N/A	N/A
7697-37-2	Nitric Acid	~2-5	N/A	N/A	N/A
7440-38-2	Arsenic	~0.1-1	N/A	N/A	N/A

^{*} EFAD - Ecotoxicity - Freshwater Algae Data

Product Information

^{*} EFFSD - Ecotoxicity - Freshwater Fish Species Data

^{*} EMD - Ecotoxicity - Microtox Data

Other information

13. DISPOSAL CONSIDERATIONS					
Waste from residues / unused products	In accordance with local and national regulations				
Contaminated packaging	Empty containers should be taken for local recycling, recovery or waste disposal				

14. TRANSPORT INFORMATION

DOT

UN-No UN3264 / Class 8

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s

Packing group III

ICAO

UN-No UN3264 / Class 8

Proper shipping nameCorrosive liquid, acidic, inorganic, n.o.s

Packing group III

IATA-DGR

UN-No UN3264 / Class 8

Proper shipping nameCorrosive liquid, acidic, inorganic, n.o.s

Packing group III

15. REGULATORY INFORMATION

U.S. INVENTORIES:

CAS	Chemical Name	% Weight	CPCL*	NJRTK*	CERCLA/SARA*
7732-18-5	Water	~94-98	N/A	N/A	N/A
7697-37-2	Nitric Acid	~2-5	N/A	sn 1356	1000 lb final RQ; 454 kg final RQ
7440-38-2	Arsenic	~0.1-1	N/A	sn 0152	1 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is equal to or exceeds 0.004 inches); 0.454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal release is equal to or exceeds 0.004 inches)

^{*} CPCL - California - Proposition 65 - Carcinogens List

INTERNATIONAL INVENTORIES:

INTERNATIONAL INVENTORIES.							
CAS	Chemical Name	% Weight	WHMIS*	EINECCS - European Union*			
7732-18-5	Water	~94-98	Uncontrolled product according to WHMIS classification criteria	231-791-2			
7697-37-2	Nitric Acid	~2-5	C, E (including 60%, 61.3%, 63%, 67%, 67.18%, 70%, 90%); E (10%)	231-714-2			
7440-38-2	Arsenic	~0.1-1	D1A, D2A	231-148-6			

^{*} WHMIS - Canada - WHMIS - Classifications of Substances

^{*} NJRTK - New Jersey - Department of Health RTK List

^{*} CERCLA/SARA - Hazardous Substances and their Reportable Quantities

^{*} EINECCS - European Union - European inventory of Existing Commercial Chemical Substances (EINECCS)

16. OTHER INFORMATION

The above information is believed to be accurate and represents the best information available to us. It has been compiled from the data presented in various technical publications and our experience and should only be used as a guide for handling this product. It is the user's responsibility to determine the suitability of this information for their particular purposes. We assume that only qualified individuals, trained and familiar with procedures suitable to this product will handle this material. Teknolab assumes no responsibility and shall not be held liable for any damage resulting from misuse of this product.

SS-1113; SS-1213; SS-1513 The Wercs Ltd. Page 5 of 5